## **BGA Heat Sink (High Aspect Ratio Ext.) Slant Fin**

ATS Part#: ATS028028009-MF-9H


**Description:** 28 X 28 X 9 mm


BGA Heat Sink (High Aspect Ratio Ext.) Slant Fin

Component: N/A


Heat Sink Type: Slant Fin

Heat Sink Attachment: N/A





- » Higher performance helps ensure reliable product life at a lower cost than other extruded heat sinks
- » Comes standard without interface material or with most common pressure sensitive thermal tapes as a custom option




Images for illustration purposes only.

## **Thermal Performance**

AIR VELOCITY THERMAL RESISTANCE	@200 LFM 1.0 M/S	@300 LFM 1.5 M/S	@400 LFM 2.0 M/S	@500 LFM 2.5 M/S	@600 LFM 3.0 M/S	@700 LFM 3.5 M/S	@800 LFM 4.0 M/S
Unducted Flow (°C/W)	13.9	8.5	6.4	5.4	4.8	4.3	4.0
Ducted Flow (°C/W)	4.8	4.0	3.5	3.2	3.0	2.8	2.6

## **Product Details**

SCHEMATIC IMAGE	Dimension A	Dimension B	Dimension C	Dimension D	TIM	Finish
	28.0 mm	28.0 mm	9.0 mm	26.1 mm	N/A	BLACK-ANODIZED



## NOTES:

- 1) Dimension A and B refer to component size
- 2) Dimension C is the heat sink height from the bottom of the base to the top of the fin field.
- 3) Dimension D is fin tip to fin tip.
- Thermal performance data are provided for reference only. Actual performance may vary by application.
- 5) ATS reserves the right to update or change its products without notice to improve the design or performance.
- 6) ATS certifies that this heat sink assembly is RoHS and REACH compliant.
- 7) Contact ATS to learn about custom options available.



\*All Images are for illustration purposes only.



